ELSEVIER

Talanta 48 (1999) 235–242

Talanta

Volume Contents

Volume 47 (1998)

Note: Volume contents of Volume 47 included here due to omission in Vol. 47 No. 5

No. 1 **September 1998**

Editorial 1

Regular articles

Packed column supercritical fluid chromatographic separation and estimation of acetaminophen, diclofenac sodium and methocarbamol in pharmaceutical dosage forms
S.T. Patil, M. Sundaresan, I.C. Bhoir and A.M. Bhagwat (Mumbai, India) 3

Spectrophotometric flow injection determination of L-ascorbic acid with a packed reactor containing ferric hydroxide
A.V. Pereira and O. Fatibello-Filho (São Carlos, SP, Brazil) 11

Selective separation of copper with Lix 864 in a hollow fiber module
M.E. Campderrós, A. Acosta and J. Marchese (San Luis, Argentina) 19

Preconcentration with chromatomembrane cell and adsorptive polarographic determination of fluorine in air
Y.-F. Li, H. Zhang, F. Xiao and Z.-Q. Zhang (Changsha, People's Republic of China) 25

Fluorescence optical fiber sensor for tetracycline
Y. Wang (Chongqing, Changsha, People's Republic of China), W.-H. Liu, K.-M. Wang, G.-L. Shen and R.-Q. Yu (Changsha, People's Republic of China) 33

Micellar modified spectrophotometric determination of nitrobenzenes based upon reduction with tin(II), diazotisation and coupling with the Bratton–Marshall reagent
I. Escrig-Tena, L. Alvarez Rodriguez, J. Esteve-Romero (Castelló, Spain) and M.C. Garcia-Alvarez-Coque (Burjassot, Spain) 43

pH-Metric determination of acid numbers in petroleum oils without titration
Y.I. Tur'yan, E. Strochkova, O.Y. Berezin, I. Kuselman and A. Shenhar (Jerusalem, Israel). 53

Titrimetric micro determination of some phenothiazine neuroleptics with potassium hexacyanoferrate(III)
K. Basavaiah (Mysore, India) and G. Krishnamurthy (Mandya, India) 59

Solvent effects on extraction of alkali metal picrates with 15-crown-5 into various organic solvents. Elucidation of fundamental equilibria which govern extraction-efficiency and -selectivity
Y. Takeda, S. Hatai, H. Hayakawa, Y. Ono, T. Yahata, K. Endō and S. Katsuta (Chiba, Japan) 67

Spectrophotometric determination of organic dye mixtures by using multivariate calibration
P. Peralta-Zamora (Curitiba-PR, Brazil), A. Kunz, N. Nagata and R.J. Poppi (Campinas-SP, Brazil) . . . 77

Application of sodium metaperiodate for the determination of ribavirin in pharmaceutical formulations
C.S.P. Sastry, P.Y. Naidu, C.S.R. Lakshmi, M.N. Reddy and R. Chinthalapati (Visakhapatnam, India). . 85

Evaluation of the precision and accuracy of an automated sample introduction accessory for the flame atomic absorption spectrometric measurement of calcium in serum
M.S. Epstein, B. Buehler and M.F. Bullard (Emmitsburg, MD, USA) 95

Simultaneous determination of phenobarbital and phenytoin in tablet preparations by multivariate spectrophotometric calibration
H.C. Goicoechea (Santa Fe, Rosario, Argentina) and A.C. Olivieri (Rosario, Argentina). 103

Note: Volume contents of Volume 47 included here due to omission in Vol. 47 No. 5

Data-, knowledge- and method-bases in chemical sciences I. BAQOR—database for equilibrium constants in aquo-organic media
A. Braibanti, R. Sambasiva Rao (Parma, Italy), G. Nageswara Rao and N. Satyanarayana (Visakhapatnam, India) . . . 109
Enzymatic flow-injection determination of L-phenylalanine using the stopped-flow and merging-zones techniques
M.J. Almendral Parra, A. Alonso Mateos, M. Martín Mata and C. García de María (Salamanca, Spain) . . . 121
Sorption of proton and heavy metal ions on a macroporous chelating resin with an iminodiacetate active group as a function of temperature
R. Biesuz (Pavia, Italy), M. Pesavento (Como, Italy), A. Gonzalo and M. Valiente (Barcellona, Spain) . . . 127
Simultaneous determination of copper, cadmium and nickel by ratio derivative polarography
Y. Ni (Nanchang Jiangxi, People's Republic of China) . . . 137
Laser induced breakdown spectrometry of vanadium in titania supported silica catalysts
P. Lucena, L.M. Cabalín, E. Pardo, F. Martín, L.J. Alemany and J.J. Laserna (Málaga, Spain) . . . 143
Kinetic determination of atrazine in foods based on stopped-flow fluorescence polarization immunoassay
B. Sendra, S. Panadero (Córdoba, E. Spain), S. Eremin (Moscow, Russia) and A. Gómez-Hens (Córdoba, E. Spain) . . . 153
Flame AAS and UV-VIS determination of cobalt, nickel and palladium using the synergetic effect of 2-benzoylpyridine-2-pyridylhydrazone and thiocyanate ions
G.A. Zachariadis, D.G. Themelis, D.J. Kosseoglou and J.A. Stratis (Thessaloniki, Greece) . . . 161
Luciferin incorporation in the structure of acrylic microspheres with subsequent confinement in a polymeric film: A new method to develop a controlled release-based biosensor for ATP, ADP and AMP
P.E. Michel, S.M. Gautier-Sauvigné and L.J. Blum (Villeurbanne, France) . . . 169
Urea potentiometric biosensor based on urease immobilized on chitosan membranes
J.M.C.S. Magalhães and A.A.S.C. Machado (Porto, Portugal) . . . 183
The H-point and generalized H-point standard additions methods for flow injection procedures
P. Campíns-Falcó, F. Blasco Gómez and F. Bosch-Reig (Burjassot, Valencia, Spain) . . . 193
LA-ICP-MS, IC and DPASV-DPCSV determination of metallic impurities in solar-grade silicon
P. Luigi Buldini (Bologna, Italy), A. Mevoli (Brindisi, Italy) and J. Lal Sharma (Delhi, India) . . . 203
Determination of microquantities of thiosulfate by kinetic method
I.V. Pulyayeva, N.L. Yegorova, L.P. Experiandova and A.B. Blank (Kharkov, Ukraine) . . . 213

Short communications
Flow injection-spectrophotometric determination of metoclopramide hydrochloride
M. Royo Herrero, A. Mellado Romero and J. Martínez Calatayud (Valencia, Spain) . . . 223
The solvent extraction of alkali metal picrates with 4,13-*N*,*N*'-dibenzyl-4,13-diaza-18-crown-6
C. Hamamcı, H. Hoşgören (Diyarbakir, Turkey) and S. Erdoğan (Diyarbakir, Turkey) . . . 229

Obituary . . . 237
Erratum
X.-W. He and W.-L. Xing (Tianjin, People's Republic of China) . . . 239
Corrigendum
M. Kaihara (Iwate, Japan) and Y. Gohshi (Tokyo, Japan) . . . 241
Corrigendum
W.-H. Liu (Changsha, Yantai, People's Republic of China), Y. Wang, J.-H. Tang, G.-L. Shen and R.-Q. Yu (Changsha, People's Republic of China) . . . 243

Book review . . . 245
Instructions for authors . . . 253

No. 2 **October 1998**

Regular articles
Application of infrared spectroscopy to the assessment of authenticity of tea
G. Budinová, D. Vláčil, O. Mestek and K. Volka (Praha, Czech Republic) . . . 255
Determination of cadmium, lead, and nickel by simultaneous multielement flame atomic absorption spectrometry in burned and unburned Venezuelan crude oil
J.L. Hammond (Louisiana, USA), Y.-I. Lee (Louisiana, USA; Changwon, South Korea), C.O. Noble, J.N. Beck, C.E. Proffitt and J. Sneddon (Louisiana, USA) . . . 261

Note: Volume contents of Volume 47 included here due to omission in Vol. 47 No. 5

A new piezoelectric response model for population growth of bacteria
L. Bao, H. Tan, L. Deng and W. Wei (Changsha, People's Republic of China) 267
Development of an Hg(II) fibre-optic sensor for aqueous environmental monitoring
M. Ahmad, H. Hamzah and E. Sufliza Marsom (Selangor, Malaysia) 275
Rapid detection of *Escherichia coliform* with a bulk acoustic wave sensor based on the gelation of *Tachypleus* amebocyte lysate
X. Qu, L. Bao, X. Su and W. Wei (Changsha, People's Republic of China) 285
Separation and determination of thorium, uranium and mixed rare-earth elements as their UV/Vis absorbing complexes by capillary zone electrophoresis
B.-f. Liu, L.-b. Liu and J.-k. Cheng (Wuhan, China) 291
Pulse injection analysis with chemiluminescence detection: determination of citric acid using tris-(2,2'-bipyridine) ruthenium(II)
H. Zhike, G. Hua, Y. Liangjie, L. Shaofang, M. Hui, L. Xiaoyan and Z. Yun'e (Wuhan, People's Republic of China) 301
Anion selective polymeric membrane electrodes based on cyclopalladated amine complexes
C. Sánchez-Pedreño, J.A. Ortuño and D. Martínez (Murcia, Spain) 305
Experimental design for the study of two derivatization procedures for simultaneous GC analysis of acidic herbicides and water chlorination by-products
C. Boucharat, V. Desauziers (Alès, France) and P. Le Cloirec (Nantes, France) 311
Tensammetric determination of non-ionic surfactants combined with the BiAS separation procedure: Part 3. Determination in the presence of hydrocarbons
B. Wyrwas, A. Szymanski and Z. Lukaszewski (Poznan, Poland) 325
Development of a system with enzyme reactors for the determination of fish freshness
M.-A. Carsol and M. Mascini (Firenze, Italy) 335
Co-ordination ability of Cu^{2+} ion toward the nucleobase-amino acid willardiine
E. Chruscinska (Lodz, Poland), E. Garribba, G. Micera, A. Panzanelli and M. Biagioli (Sassari, Italy) . . 343
Kinetic determination of trace cobalt(II) by visual autocatalytic indication
M. Endo, S. Abe (Yonezawa, Japan), Y. Deguchi and T. Yotsuyanagi (Sendai, Japan) 349
Synthesis of amido black diazoaminoazobenzene and its application to the spectrophotometric determination of micrograms of cadmium
P.-F. Zhang, H.-W. Gao and Y. Li (Anhui, People's Republic of China) 355
The study and application of biomimic peroxidase ferric 2-hydroxy-1-naphthaldehyde thiosemicarbazone (Fe^{III}-HNT)
B. Tang (Jinan, China), M. Du, Y. Sun (Tianjin, China), H.-l. Xu (Jinan, China) and H.-x. Shen (Tianjin, China) 361
Amperometric measuring cell for the determination of putrescine oxidase activity
G. Nagy, C.X. Xu, V.V. Cosofret, R.P. Buck (Chapel Hill NC, USA), E. Lindner (Durham NC, USA), M.R. Neuman (Cleveland OH, USA) and R.H. Sprinkle (College Park MD, USA) 367
Ribonucleic acid as a novel ionophore for potentiometric membrane sensors of some transition metal ions
S.S.M. Hassan, W.H. Mahmoud and A.H.M. Othman (Cairo, Egypt) 377
Effect of cationic micelles on the formation of the complex oxalate–Alizarin Red S–Zr(IV): Application to the sensitive
J.A. Muñoz, A.M.G. Campaña and F.A. Barrero (Granada, Spain) 387
The acidobasic and complexation properties of humic acids: Study of complexation of Czech humic acids with metal ions
P. Lubal, D. Široký, D. Fetsch and J. Havel (Brno, Czech Republic) 401
Separation of scandium(III) and yttrium(III) by tris(2-ethylhexyl)phosphate (TEHP)
M.H. Chhatre and V.M. Shinde (Mumbai, India) 413
Spectrophotometric method for determination parts per million levels of cyclohexylamine in water
A.G. Kumbhar, S.V. Narasimhan and P.K. Mathur (Kalpakkam, Tamil Nadu, India) 421
Immobilization of 8-hydroxyquinoline onto silicone tubing for the determination of trace elements in seawater using flow injection ICP-MS
S.N. Willie (Ottawa, Ont., Canada), H. Tekgul (Istanbul, Turkey) and R.E. Sturgeon (Ottawa, Ont., Canada) 439
Determination of total polar parts with new methods for the quality survey of frying fats and oils
M. Hein, H. Henning and H.-D. Isengard (Stuttgart, Germany) 447

Note: Volume contents of Volume 47 included here due to omission in Vol. 47 No. 5

Determination of phenylpropanolamine and methoxamine using flow-injection with fluorimetric detection
P. Viñas, C. López-Erroz, F.J. Cerdán and M. Hernández-Córdoba (Murcia, Spain) 455
Simultaneous determination of iron, cobalt, nickel and copper by UV-visible spectrophotometry with multivariate calibration
A.M. Garcia Rodriguez, A. Garcia de Torres, J.M. Cano Pavon and C. Bosch Ojeda (Malaga, Spain) . . 463
Permanganate-based chemiluminescence analysis of cefadroxil monohydrate in pharmaceutical samples and biological fluids using flow injection
F.A. Aly, N.A. Alarfaffj and A.A. Alwarthan (Riyadh, Saudi Arabia) 471
Simultaneous kinetic spectrophotometric determination of vanadium(V) and iron(III)
H. Tavallali and A. Massoumi (Tehran, Iran). 479
Immobilization of single-stranded deoxyribonucleic acid on gold electrode with self-assembled aminoethanethiol monolayer for DNA electrochemical sensor applications
X. Sun, P. He, S. Liu, J. Ye and Y. Fang (Shanghai, People's Republic of China) 487
Flow-injection catalytic spectrophotometric determination of nitrite using the redox reaction between naphthol green B and potassium bromate
Z. Zhi-Qi, G. Lou-Jun and Z. Han-Ying (Xi'an, People's Republic of China) 497

Short communication
Sensitivities of selenite, selenate, selenomethionine and trimethylselenonium ion in aqueous solution and in blood plasma – ETAAS compared with ICP-MS.
B. Gammelgaard (Copenhagen, Denmark) and E.H. Larsen (Søborg, Denmark). 503

No. 3 **November 1998**

Review
Inorganic and methylmercury speciation in environmental samples
J.E. Sánchez Uria and A. Sanz-Medel (Oviedo, Spain). 509

Regular articles
First and second order derivative spectrophotometric determination of benzyl alcohol and diclofenac in pharmaceutical forms
Y.C. de Micalizzi, N.B. Pappano and N.B. Debattista (San Luis, Argentina) 525
Indirect spectrophotometric determination of ascorbic acid with ferrozine by flow-injection analysis
A. Molina-Díaz, I. Ortega-Carmona and M.I. Pascual-Reguera (Jaén, Spain) 531
Analysis of binary mixtures of flufenamic, meclofenamic and mefenamic acids by derivative synchronous fluorescence spectrometry
T.P. Ruiz, C.M. Lozano, V. Tomás and J. Carpena (Murcia, Spain) 537
Spectrophotometric and complexometric methods for the determination of thorium and fluoride using bromocresol orange reagent
M.E. Khalifa and M.A.H. Hafez (Mansoura, A.R., Egypt) 547
Amperometric glucose enzyme electrode by immobilizing glucose oxidase in multilayers on self-assembled monolayers surface
S.-F. Hou, K.-S. Yang, H.-Q. Fang and H.-Y. Chen (Nanjing, PR China). 561
Determination of arsenic in ambient water at sub-part-per-trillion levels by hydride generation Pd coated platform collection and GFAAS detection
L. Liang, S. Lazoff, C. Chan (Seattle, WA, USA), M. Horvat (Ljubljana, Slovenia) and J.S. Woods (Seattle, WA, USA) 569
A novel sorbent tube for ambient hydrogen sulfide determination
M. Volkan, T. Eroğlu, A.E. Eroğlu, O.Y. Ataman (Ankara, Turkey) and H.B. Mark, Jr. (Cincinnati, OH, USA) 585
The effect of polymeric supports and methods of immobilization on the performance of an optical copper(II)-sensitive membrane based on the colourimetric reagent Zincon
I. Oehme, S. Prattes (Graz, Austria), O.S. Wolfbeis (Regensburg, Germany) and G.J. Mohr (Graz, Austria; Zurich, Switzerland). 595
Sequential extraction procedure for speciation of inorganic cadmium in emissions and working areas
A. Profumo, G. Spini, L. Cucca and E. Zecca (Pavia, Italy) 605

Note: Volume contents of Volume 47 included here due to omission in Vol. 47 No. 5

Determination of ytterbium in animal faeces by tungsten coil electrothermal atomic absorption spectrometry
É.C. Lima, F.J. Krug, J.A. Nóbrega and A.R.A. Nogueira (Piracicaba SP, Brazil) 613
A comparative study using HPLC and packed column supercritical fluid chromatography for the assay of three anti-psychotic dosage forms
Y.P. Patela (Mumbai, India), U.J. Dhorda and M. Sundaresan (Mumbai, India) 625
Selective and sensitive fluorometric determinations of cobalt(II) and hydrogen peroxide with fluorescein-hydrazide
I. Mori, K. Takasaki, Y. Fujita and T. Matsuo (Takatsuki Osaka, Japan) 631
Visible spectrophotometric and first-derivative UV spectrophotometric determination of rifampicin and isoniazid in pharmaceutical preparations
S.A. Benetton, E.R.M. Kedor-Hackmann, M.I.R.M. Santoro and V.M. Borges (São Paulo, Brazil) 639
Flow injection determination of hydrazine with fluorimetric detection
A.A. Ensafi and B. Rezaei (Isfahan, Iran) 645
Amperometric detection with microelectrodes in flow injection analysis: theoretical aspects and application in the determination of nitrite in saliva
V. Mori and M. Bertotti (São Paulo SP, Brazil) 651
The simple and rapid spectrophotometric determination of trace chromium(VI) after preconcentration as its colored complex on chitin
S. Hoshi, K. Konuma, K. Sugawara, M. Uto and K. Akatsuka (Kitami-shi, Japan) 659
Electrochemical detection of lectin using a galactosamine labeled with daunomycin
K. Sugawara, H. Kuramitsu, S. Hoshi, K. Akatsuka, S. Tanaka and H. Nakamura (Hokkaido, Japan) . . 665
Use of a new type of 8-hydroxyquinoline-5-sulphonic acid cellulose (sulphoxine cellulose) for the preconcentration of trace metals from highly mineralised water prior their GFAAS determination
K. Zih-Perényi, A. Lásztity, Z. Horváth and Á. Lévai (Budapest, Hungary) 673
Effect of electrolytes on the retention behavior of some benzenesulfonates in electrochemically modulated liquid chromatography
M.S. Abdel-Latif (Gaza, Israel) and M.D. Porter (Ames, IA, USA) 681
Determination of iron and nickel by flame atomic absorption spectrophotometry after preconcentration on *Saccharomyces cerevisiae* immobilized sepiolite
H. Bağ, M. Lale (Kyrykkale, Turkey) and A.R. Türker (Ankara, Turkey) 689
An investigation into the sorption of benzoic acids by polyurethane membrane
K. Rzeszutek and A. Chow (Manitoba, Canada) 697
Dual-phase gas-permeation flow-injection thermometric analysis for the determination of carbon dioxide
S.-j. Liu and M. Tubino (Campinas, SP, Brazil) 711
Spectrophotometric determination of Mo(VI) in steel using a homogeneous ternary solvent system after single-phase extraction
J. Carlos de Andrade, C. José Cuelbas (Campinas, SP, Brazil) and S. de Paula Eiras (Uberlândia, SP, Brazil) 719
News analytical reagents for europium(III)
M.P. Montaña, N.B. Pappano and N.B. Debattista (San Luis, Argentina) 729
Microfabricated glucose biosensor with glucose oxidase entrapped in sol–gel matrix
S. Yang, Y. Lu, P. Atanossov, E. Wilkins and X. Long (Albuquerque, NM, USA) 735
Iodimetric determination of 2-mercaptopyrimidines
W. Ciesielski, R. Zakrzewski, A. Krenc and J. Zielińska (Łódź, Poland) 745
Searching for heavy metals grouping roadside soils as a function of motorized traffic influence
A. Carlosena, J.M. Andrade and D. Prada (La Coruña, Spain) 753
Spectroscopic investigations in molecularly organized solvent media. Part 5. Fluorescence behavior of polycyclic aromatic hydrocarbons dissolved in cetylpyridinium chloride + zwitterionic and cetyltrimethylammonium chloride + zwitterionic mixed surfactant systems
S. Pandey, W.E. Acree, Jr. (Denton, TX, USA) and J.C. Fetzer (Richmond, CA, USA) 769
A metallic cobalt electrode for the indirect potentiometric determination of calcium and magnesium in natural waters using flow injection analysis
Z. Chen and M.A. Adams (Nedlands, WA, Australia) 779
Low pressure chromatographic separation of inorganic arsenic species using solid phase extraction cartridges
S. Yalçin and X.C. Le (Edmonton, AB, Canada) 787

Note: Volume contents of Volume 47 included here due to omission in Vol. 47 No. 5

Short communications

Cathodic stripping voltammetry of 2,3-dichloroquinoxaline and 1,4-dichlorophthalazine reactive dyes and their hydrolysis products: Reactive Red 41 and Reactive Red 96
A.R.H.M. Yusoff, A.G. Fogg (Loughborough, Leicestershire, UK) and R. Ahmad (Johor Bahru, Malaysia) . . . 797

Purification of soluble fulvic acid low concentrations by a diafiltration technique
N. Calace, F. De Paolis, F. Minniti and B.M. Petronio (Roma, Italy) . . . 803

Announcement . . . 811

No. 4 **Novmenber 1998**

Regular articles

Hydrogen ion-selective membrane electrodes based on alkyldibenzylamines as neutral carriers
D.-H. Cho, K.-C. Chung and M.-Y. Park (Seoul, South Korea) . . . 815

Extraction and separation studies of platinum(IV) with *N*-n-octylaniline
T.N. Lokhande, M.A. Anuse and M.B. Chavan (Kolhapur, India) . . . 823

Determination of nicotine by reagent-injection flow injection photometric method
J. Liu and Y. Feng (Beijing, China) . . . 833

Recent advances in solid-phase extraction of platinum and palladium
K. Pyrzyńska (Warsaw, Poland) . . . 841

Determination of Mo, U and B in waters by electrothermal vaporization inductively coupled plasma mass spectrometry
D. Pozebon, V.L. Dressler and A.J. Curtius (Florianópolis, S.C., Brazil) . . . 849

Simultaneous determination of the colorants tartrazine, ponceau 4R and sunset yellow FCF in foodstuffs by solid phase spectrophotometry using partial least squares multivariate calibration
L.F. Capitán-Vallvey, M.D. Fernández, I. de Orbe and R. Avidad (Granada, Spain) . . . 861

Mixed micellar medium for the spectrophotometric determination of molybdenum in molybdenum/tungsten mixtures
X. Huang, W. Zhang, G. Xu, S. Han, Y. Li and C. Li (Jinan, People's Republic of China) . . . 869

Determination of Mo and Bi in steels by electrothermal atomic absorption spectrometry after complexation and sorption on activated carbon
M.B.O. Giacomelli, J.B.B. da Silva and A.J. Curtius (Florianópolis, S.C., Brazil) . . . 877

Spectrophotometric determination of some aromatic amines
N.A. Zatar, A.Z. Abu-Zuhri and A.A. Abu-Shaweesh (Nablus, Israel) . . . 883

Reversed-phase liquid chromatographic determination of isoniazide in human urine as a test of the genetically predetermined type of biotransformation by acetylation
M.I. Evgenyev, S.Y. Garmonov, I.I. Evgenyeva, S.M. Goryunova, V.I. Pogorel'tsev and F.S. Levinson (Kazan, Russia) . . . 891

Influence of interfering dissolved organic matter on the determination of hydrogen peroxide by a colorimetric method based on the peroxidase catalyzed oxidation of *N,N*-diethyl-*p*-phenylenediamine
M. Fukushima and K. Tatsumi (Tsukuba, Japan) . . . 899

Laser-induced fluorescence of pyrene and other polycyclic aromatic hydrocarbons (PAH) in seawater
S.M. Rudnick and R.F. Chen (Boston, MA, USA) . . . 907

Syntheses of three new derivatives of 8-aminoquinoline and its applications for fluorimetric determination of copper(II)
Q.-E. Cao, K. Wang, Z. Hu (Lanzhou, People's Republic of China) and Q. Xu (Kunmin, People's Republic of China) . . . 921

Quantitative determination of trace amounts of Al-citrate by anion-exchange FPLC-ETAAS
T. Bantan, R. Milačič and B. Pihlar (Ljubljana, Slovenia) . . . 929

Monitoring and characterization of polyaromatic compounds in the environment
T. Vo-Dinh (Oak Ridge, TN, USA), J. Fetzer (Richmond, CA, USA) and A.D. Campiglia (Fargo, ND, USA) . . . 943

Oxygen sensor via the quenching of room-temperature phosphorescence of perdeuterated phenanthrene adsorbed on Whatman 1PS filter paper
S.M. Ramasamy and R.J. Hurtubise (Laramie, WY, USA) . . . 971

Detection of 2-chloroethylethyl sulfide on soil particles using ion trap-secondary ion mass spectrometry
G.S. Groenewold, A.D. Appelhans, J.C. Ingram, G.L. Gresham and A.K. Gianotto (Idaho Falls, ID, USA) . . . 981

Note: Volume contents of Volume 47 included here due to omission in Vol. 47 No. 5

Conducting polymer ion sensor electrodes–III. Potentiometric sulfide ion selective electrode
N.F. Atta, A. Galal (Giza, Egypt), H.B. Mark, Jr., T. Yu and P.L. Bishop (Cincinnati, OH, USA) 987
Practice and mechanism of HPLC oligosaccharide separation with a cyclodextrin bonded phase
A. Berthod (Villeurbanne, France), S.S.C. Chang, J.P.S. Kullman and D.W. Armstrong (Rolla MO, USA) 1001
First and second dissociation constants and related thermodynamic functions of adipic acid in various binary methanol/solvent systems
G.A. El-Naggar (Alexandria, Egypt) 1013
Study of the determination of acetylcholine after enzymatic hydrolysis by triangle programmed coulometric flow titration
R.E. Gyurcsányi, Z. Fehér (Budapest, Hungary) and G. Nagy (Pécs, Hungary) 1021
Determination of metals in used lubricating oils by AAS using emulsified samples
I.M. Goncalves, M. Murillo and A.M. González (Caracas, Venezuela) 1033
Prognostication criterion of potential and practical use of analytical reagents in titrimetria of individual substances
V.K. Chebotarev, Y.K. Kraev, I.V. Voronkina, E.G. Iljina and L.E. Cherdantseva (Barnaul, Russia) . . . 1043

Short communication
Closure of analytical chemical data and multivariate classification
R. Aruga (Turin, Italy) 1053

Announcement 1063

No. 5 **December 1998**

Regular articles
Liquid–liquid distribution of ion associates of hexabromotellurate (IV) with quaternary ammonium counter ions
K. Yamamoto and K. Adachi (Tottori, Japan) 1065
Dual-analyte spectroscopic sensing in sol–gel derived polyelectrolyte–silica composite thin films
Y. Shi, C.J. Seliskar and W.R. Heineman (Cincinnati, OH, USA) 1071
Complex formation equilibria of some β-amino-alcohols with lead(II) and cadmium(II) in aqueous solution
S. Canepari, V. Carunchio, P. Castellano and A. Messina (Rome, Italy) 1077
A simple method for the spectrophotometric determination of atrazine using *p*-aminoacetophenone and its application in environmental and biological samples
R. Kesari and V.K. Gupta (Raipur (M.P.), India) 1085
Kinetic-catalytic determination of traces of iron by the oxidative coupling reaction of 3-methyl-2-benzothiazolinone hydrazone with *N,N*-dimethylaniline
T. Tomiyasu, N. Teshima (Tsukuba, Japan), S. Nakano (Tottori, Japan) and T. Kawashima (Tsukuba, Japan) 1093
Electrochemical behaviour of gold, silver, platinum and palladium on the glassy carbon electrode modified by chitosan and its application
X. Ye, Q. Yang, Y. Wang and N. Li (Beijing, People's Republic of China) 1099
Electrochemical polymerization of toluidine blue o and its electrocatalytic activity toward NADH oxidation
C.-X. Cai and K.-H. Xue (Nanjing, People's Republic of China) 1107
Adsorbed resin phase spectrophotometric determination of vanillin or/and its derivatives
R. Li, Z. Jiang, L. Mao and H. Shen (Tianjin, People's Republic of China) 1121
Detection of TMV with ODA-H_2O_2-HRP voltammetric enzyme-linked immunoassay system
K. Jiao, S. Zhang, L. Wei, C. Liu (Qingdao, People's Republic of China), C. Zhang, Z. Zhang, J. Liu and P. Wei (Beijing, People's Republic of China) 1129
Enzyme-less amperometric biosensor for L-ascorbate using poly-L-histidine-copper complex as an alternative biocatalyst
Y. Hasebe, T. Akiyama, T. Yagisawa and S. Uchiyama (Okabe, Saitama, Japan) 1139
Strontium ion-selective electrodes based on the diamides with pyridine ring as ionophores
G. Qian, M. Bin Wu, G. Wu (Xining, People's Republic of China), S. Huang, Y. Yan and B. Tian (Chengdu, People's Republic of China) 1149

Note: Volume contents of Volume 47 included here due to omission in Vol. 47 No. 5

Applicability of 0.05 mol kg^{-1} potassium hydrogen phthalate as reference value pH standard in water–organic solvent mixtures
K. Izutsu and H. Yamamoto (Matsumoto, Japan) 1157
Studies on optimization of a platinum catalyst and porphine modified, pyrolytic graphite, amperometric, glucose sensor by sequential level elimination experimental design
L.-X. Sun, F. Xu and T. Okada (Tsukuba Ibaraki, Japan) 1165
Protonation constant of monoaza-12-crown-4 ether and stability constants with selected metal ions in aqueous solution in the presence of an excess of sodium ion: a potentiometric and differential pulse polarographic study at fixed ligand to metal ratio and varied pH
E. Cukrowska (Pretoria, South Africa) and I. Cukrowski (Johannesburg, South Africa) 1175
Automated determination of tin and nickel in brass by on-line anodic electrodissolution and electrothermal atomic absorption spectrometry
J.B. Borba da Silva, M.B. Oss Giacomelli, I. Gonçalves de Souza and A.J. Curtius (Florianópolis SC, Brazil) 1191
Seventeen new 14- and 15-crown-formazans: their synthesis and evaluation in spectrophotometric determination of lithium
Y.A. Ibrahim, A.H.M. Elwaby, B.N. Barsoum, A.A. Abbass and S.K. Khella (Giza, Egypt) 1199
Evaluation of some new 14- and 15-crown-formazans as carriers in cesium ion selective electrodes
B.N. Barsoum, S.K. Khella, A.H.M. Elwaby, A.A. Abbas and Y.A. Ibrahim (Giza, Egypt) 1215
Investigation of the interaction between acridine orange and bovine serum albumin
X.-Z. Feng, Z. Lin, L.-J. Yang, C. Wang and C.-l. Bai (Beijing, China) 1223
Flow injection potentiometric determination of paraquat in formulations and biological samples
B. Saad, M. Ariffin and M.I. Saleh (Penang, Malaysia) 1231
Co-precipitative pre-concentration with sodium diethyldithiocarbamate and ICP-AES determination of Se, Cu, Pb, Zn, Fe, Co, Ni, Mn, Cr and Cd in water
D. Atanassova, V. Stefanova (Plovdiv, Bulgaria) and E. Russeva (Sofia, Bulgaria) 1237
A common method for the determination of several calcium channel blockers using an HPLC system with ultraviolet detection
M.A. Garcia, C. Soláns, J.J. Aramayona, L.J. Fraile, M.A. Bregante and J.R. Castillo (Zaragoza, Spain) 1245
Flow-through fluorescence immunosensor for atrazine determination
E. Turiel, P. Fernández, C. Pérez-Conde, A.M. Gutiérrez and C. Cámara (Madrid, Spain) 1255
Comparative determination of Ba, Cu, Fe, Pb and Zn in tea leaves by slurry sampling electrothermal atomic absorption and liquid sampling inductively coupled plasma atomic emission spectrometry
J. Mierzwa, Y.C. Sun, Y.T. Chung and M.H. Yang (Hsinchu, Taiwan) 1263
Ion-pair extraction of uranyl ion from aqueous medium using crown ethers
P.K. Mohapatra and V.K. Manchanda (Bombay, India) 1271
Co-precipitative pre-concentration with sodium diethyldithiocarbamate and ICP-AES determination of Se, Cu, Pb, Zn, Fe, Co, Ni, Mn, Cr and Cd in water
D. Atanassova, V. Stefanova (Plovdiv, Bulgaria) and E. Russeva (Sofia, Bulgaria) 1279
Determination of trace amounts of beryllium using derivative spectrophotometry in non-ionic micellar medium
H.B. Singh (Delhi, India), N.K. Agnihotri and V.K. Singh (New Delhi, India) 1287

Short communication

Potentiometric titration of Co(II) in presence of Co(III)
E. Norkus (Vilnius, Lithuania) 1297